

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| L1    | 39   | transmit\$4 WITH version WITH reply\$3  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/06/08 11:27 |
| L2    | 0    | ("2006/0136611").URPN.  | USPAT  | OR               | ON      | 2007/06/08 11:27 |
| S1    | 2    | "750060".ap.  | US-PGPUB   | OR               | ON      | 2007/02/21 14:25 |
| S2    | 4    | ("20020016877" "20020016877" "20030182482" "20030182482" "20030217311" "5884027").PN.   | US-PGPUB;<br>USPAT   | OR               | ON      | 2007/02/21 14:51 |
| S3    | 5942 | service NEAR2 availabil\$3  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/02/21 15:13 |
| S4    | 2483 | (710/1,15,16).CCLS.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/02/21 15:13 |
| S5    | 5    | S3 AND S4   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/02/21 15:13 |
| S6    | 3    | ("20030098884" "6629151" "6349504").pn.   | US-PGPUB;<br>USPAT   | OR               | ON      | 2007/02/22 11:48 |
| S7    | 236  | (query ask\$3 question\$3) WITH (interface connect\$3 link\$3) WITH (feature) WITH (device module component)                    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/02/22 11:51 |
| S8    | 12   | (query ask\$3 question\$3) WITH (interface connect\$3 link\$3) WITH (feature service) WITH (device module component) WITH (bus) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/02/22 11:51 |
| S9    | 40   | query\$3 WITH (device module component) WITH ((feature service) NEAR2 specific)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/06/06 13:59 |
| S10   | 21   | ("5630061"   "5790940"   "6226680"   "6434187").PN. OR ("6629151").URPN.  | US-PGPUB;<br>USPAT;<br>USOCR   | OR               | ON      | 2007/02/22 12:12 |
| S11   | 1    | "6349304".pn.   | USPAT  | OR               | ON      | 2007/02/22 12:20 |
| S12   | 81   | query\$3 WITH (specific NEAR2 feature)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | ON      | 2007/02/22 12:34 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| S13 | 38   | query\$3 WITH (specific NEAR2 (feature function)) WITH (device circuit module component)                 | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 12:35 |
| S14 | 1053 | jini   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:05 |
| S15 | 512  | S14 AND query  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:06 |
| S16 | 362  | S14 AND (quer\$3 SAME (feature function service))  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:07 |
| S17 | 21   | S14 AND (quer\$3 SAME (feature function service) SAME bus)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:07 |
| S18 | 38   | (query\$3) WITH (device component module) WITH (specific NEAR2 (feature function))                       | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:11 |
| S19 | 1922 | (quer\$4) WITH (feature function) WITH (response repl\$4)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:54 |
| S20 | 835  | (quer\$4) WITH (feature service function) WITH (response repl\$4) WITH (device component module circuit) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:56 |
| S21 | 1    | S20 SAME DMA   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 13:56 |
| S22 | 19   | S20 AND DMA  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/22 14:01 |

## EAST Search History

|     |          |  |  |    |     |                  |
|-----|----------|--|--|----|-----|------------------|
| S23 | 1027     | quer\$4 NEAR3 version  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/02/22 14:01 |
| S24 | 13564056 | (device component circuit module)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/02/22 14:10 |
| S25 | 130      | S23 WITH S24   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/02/22 14:10 |
| S26 | 10       | S25 SAME (bus interface)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/02/22 14:11 |
| S27 | 32       | S23 AND DMA  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/02/22 14:13 |
| S28 | 0        | ("2006/0136611").URPN.   | USPAT  | OR | ON  | 2007/02/22 14:13 |
| S29 | 50       | ("5836013" "6747667" "6968398" "7136952" "7159105"<br>"20030037185" "20040268109" "20050044348"<br>"20050246473" "20050257222" "5933087" "20060136611"<br>"6895517" "7162560" "20030041273" "20050144434"<br>"5850562" "4306288" "4584639" "5471674" "5511180"<br>"5822581" "5958049" "6009540" "4261035" "4292465"<br>"4318182" "4351024" "4495598" "4497041" "4835459"<br>"4884228" "5003466" "5226164" "5251150" "5291585"<br>"5446882" "5504905" "5544358" "5586324" "5611062"<br>"5613155" "5615335" "5619513" "5673391" "5673703"<br>"5692219" "5694617" "5742758" "5784611" ).pn. | US-PGPUB;<br>USPAT   | OR | ON  | 2007/02/22 14:35 |
| S30 | 22       | (query\$3 queries) WITH (response repl\$4) WITH (feature<br>function service) WITH (bus)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/02/22 16:35 |
| S31 | 6175     | ((query\$3 ask\$3 request\$3) NEAR4 (feature function service))<br>SAME bus  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/25 14:13 |
| S32 | 2537     | (710/1,15,16).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/25 14:13 |

## EAST Search History

|     |       |  |  |    |    |                  |
|-----|-------|--|--|----|----|------------------|
| S33 | 68    | S31 AND S32  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/25 14:13 |
| S34 | 8     | quer\$4 NEAR3 (device peripheral) NEAR3 (DMA)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/25 14:18 |
| S35 | 53082 | (point\$1to\$1point firewire IEEE\$1"1394")  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/25 14:20 |
| S36 | 10774 | S35 WITH bus   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/25 14:20 |
| S37 | 19    | S36 SAME query   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/25 14:21 |
| S38 | 29    | ((WILLIAM) near2 (FUTRAL)).INV.  | US-PGPUB;<br>USPAT   | OR | ON | 2007/04/25 14:25 |
| S39 | 50    | ((KENNETH) near2 (CRETA)).INV.   | US-PGPUB;<br>USPAT   | OR | ON | 2007/04/25 14:25 |
| S40 | 24    | ((SUJOY) near2 (SEN)).INV.   | US-PGPUB;<br>USPAT   | OR | ON | 2007/04/25 14:25 |
| S41 | 12    | ((GREGORY) near2 (CUMMINGS)).INV.  | US-PGPUB;<br>USPAT   | OR | ON | 2007/04/25 14:25 |
| S42 | 11    | ((SIVAKUMAR) near2 (RADHAKRISHNAN)).INV.   | US-PGPUB;<br>USPAT   | OR | ON | 2007/04/25 14:25 |
| S43 | 342   | jini AND (quer\$4 WITH (service feature function))   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/25 16:09 |
| S44 | 467   | ((query determin\$5 identify\$3) WITH (function ability availability)) SAME (point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") IEEE1394 IEEE?1394) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 16:11 |
| S45 | 411   | S44 SAME (function DMA feature component service)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/26 11:03 |

## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S46 | 2541 | (710/1,15,16).CCLS.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/04/26 11:03 |
| S47 | 3    | S45 AND S46   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/26 11:03 |
| S48 | 199  | S45 SAME (bus link)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/26 11:12 |
| S49 | 110  | S48 SAME (circuit device module peripheral IC)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/26 11:12 |
| S50 | 7039 | (query determin\$5 identify\$3) WITH (configurat\$3 ability availability) WITH (function DMA feature component service) WITH (circuit device module peripheral IC control\$4) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/26 11:57 |
| S51 | 6705 | (query determin\$5 identify\$3) WITH (availab\$5) WITH (function DMA feature component service) WITH (circuit device module peripheral IC control\$4)                         | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/26 11:58 |
| S52 | 65   | (query determin\$5 identify\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/27 12:47 |
| S53 | 1    | (ask\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/27 12:47 |
| S54 | 5    | (find\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/27 12:50 |
| S55 | 0    | (inquir\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/04/27 12:51 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| S56 | 1    | (inquir\$3) WITH (availab\$5 abilit\$3 function\$3) WITH ((DMA NEAR2 control\$4) DMAC)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 12:52 |
| S57 | 1    | (inquir\$3) WITH (availab\$5 abilit\$3 feature component) WITH ((DMA NEAR2 control\$4) DMAC)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 12:53 |
| S58 | 5418 | (determin\$3 query identify\$3 inquir\$3 ask\$3) NEAR3 (availab\$5) NEAR3 (abilit\$3 feature component service module)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 12:55 |
| S59 | 467  | ((query determin\$5 identify\$3) WITH (function ability availability)) SAME (point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink)                   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 13:31 |
| S60 | 238  | ((query determin\$5 identify\$3) NEAR4 (function ability availability)) SAME (point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink)                  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 13:32 |
| S61 | 27   | ((query determin\$5 identify\$3) NEAR4 (function ability availability)) SAME ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink) NEAR2 (bus))    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 14:58 |
| S62 | 1252 | ((query determin\$5 identify\$3) NEAR4 (function ability availability)) AND ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink) NEAR2 (bus))     | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 14:02 |
| S63 | 85   | (query\$3 determin\$3) NEAR3 (availab\$5) NEAR3 (component feature module) NEAR3 (IC (integrated ADJ circuit) device peripheral chip)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 14:03 |
| S64 | 5    | (determin\$3 query\$3) NEAR3 (DMAC (((direct ADJ memory ADJ access) DMA) ADJ controller)) NEAR3 (availab\$5)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 14:34 |
| S65 | 27   | ((query\$3 determin\$5 identify\$3) NEAR4 (function ability availability)) SAME ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink) NEAR2 (bus)) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 14:58 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S66 | 52   | ((query determin\$5 identify\$3) WITH (function ability availability)) SAME ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") IEEE1394 IEEE?1394) NEAR2 bus)                                    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/27 16:11 |
| S67 | 1    | query\$3 WITH available WITH (((direct near memory near access) DMA) NEAR2 controller) DMAC)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/29 12:21 |
| S68 | 50   | determin\$3 WITH available WITH (((direct near memory near access) DMA) NEAR2 controller) DMAC)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/29 12:21 |
| S69 | 7538 | determin\$5 WITH (resource) WITH available  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/30 11:01 |
| S70 | 68   | S69 WITH bus  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/30 11:04 |
| S71 | 0    | ("2006/0105714").URPN.  | USPAT  | OR | ON | 2007/05/30 12:08 |
| S72 | 2    | "750060".ap.  | US-PGPUB   | OR | ON | 2007/05/30 12:24 |
| S73 | 2    | S72 AND point   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/30 12:24 |
| S74 | 0    | (10/673805).APP.  | USPAT;<br>USOCR  | OR | ON | 2007/05/30 12:37 |
| S75 | 0    | ("2005/0071531").URPN.  | USPAT  | OR | ON | 2007/05/30 12:38 |
| S76 | 21   | ("20020019902" "20050027914" "5564062" "5708814" "5761492" "5793979" "5809329" "5881252" "5937199" "6115779" "6370606" "6378023" "6412035" "6470407" "6499078" "6502152" "6598105" "6636916" "6813666" "6865636" "6877057").PN. | US-PGPUB;<br>USPAT   | OR | ON | 2007/05/30 12:39 |
| S77 | 2    | "750060".ap.  | US-PGPUB   | OR | ON | 2007/06/04 12:28 |
| S78 | 1    | S77 AND (branch\$3 WITH tree WITH bus\$3)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/04 12:28 |
| S79 | 5682 | available SAME (query\$3 request\$3) SAME (version)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/04 12:46 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S80 | 244 | S79 SAME bus  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/04 12:45 |
| S81 | 3   | available WITH (query\$3 request\$3) WITH (version) WITH bus    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/04 12:46 |
| S82 | 106 | (IRQ ISR IDT) WITH (version)                                    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 12:02 |
| S83 | 7   | arbitrat\$3 WITH resource WITH address WITH (return send)       | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:02 |
| S85 | 76  | arbitrat\$3 SAME resource SAME address SAME return              | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:01 |
| S86 | 132 | arbitrat\$3 SAME resource SAME address SAME send\$3             | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:01 |
| S87 | 8   | arbitrat\$3 WITH resource WITH address WITH (return\$3 send\$3) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:02 |
| S88 | 1   | S87 NOT S83   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:02 |
| S89 | 229 | reply\$3 WITH address WITH (resource feature peripheral)        | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:10 |
| S90 | 3   | S89 SAME arbitrat\$3  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/06 14:10 |



## EAST Search History

|      |     |   |  |    |    |                  |
|------|-----|---|--|----|----|------------------|
| S91  | 222 | ((device peripheral unit module) WITH (option\$1rom (option ADJ rom))) AND (detect\$3 configur\$3)                                  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 13:09 |
| S92  | 156 | S91 AND @ay<="2003"   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 13:10 |
| S93  | 80  | S92 AND (version)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 13:11 |
| S94  | 179 | (arbitor arbitrat\$3) WITH (resource feature function ability) WITH (data information) NEAR3 (address ID identifier identification) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 13:25 |
| S95  | 0   | S91 AND havi  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 13:40 |
| S96  | 0   | S94 AND havi  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 13:40 |
| S97  | 233 | (arbitor arbitrat\$3) WITH (return\$3) WITH (address)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 14:04 |
| S98  | 149 | S97 SAME (request\$3 query\$3)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 14:04 |
| S99  | 14  | (arbitor arbitrat\$3) NEAR4 (return\$3) NEAR4 (address)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 14:08 |
| S100 | 5   | "723261".ap.  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 14:08 |

## EAST Search History

|          |      |   |  |    |     |                  |
|----------|------|---|--|----|-----|------------------|
| S10<br>1 | 50   | (request\$3 WITH version) SAME (arbitrat\$3)                | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 15:45 |
| S10<br>2 | 0    | S97 AND havi  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:17 |
| S10<br>3 | 289  | (return NEAR4 address) SAME (arbitrat\$3 arbitor)           | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:19 |
| S10<br>4 | 2569 | (710/1,15,16).CCLS.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/07 17:18 |
| S10<br>5 | 1    | S103 AND S104   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:19 |
| S10<br>6 | 1    | ((return WITH address) SAME (arbitrat\$3 arbitor)) AND S104 | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:20 |
| S10<br>7 | 0    | ((return WITH address) SAME (IRQ)) AND S104                 | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:20 |
| S10<br>8 | 74   | ((return WITH address) SAME (IRQ))                          | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:20 |
| S10<br>9 | 45   | ((return NEAR4 address) SAME (IRQ))                         | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:21 |
| S11<br>0 | 15   | ((return NEAR4 address) SAME (IRQ) SAME (request\$3))       | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2007/06/07 17:21 |

## EAST Search History

|          |    |  |  |    |    |                  |
|----------|----|--|--|----|----|------------------|
| S11<br>1 | 50 | (request) WITH (arbitrat\$3 arbit\$4) WITH (version) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/07 17:39 |
|----------|----|--|--|----|----|------------------|